

**SECTION 1****APPLICATION TO FELL OR PRUNE TREES**

<b><u>CODE NO</u></b>	<b><u>DESCRIPTION OF PROPOSAL</u></b>	<b><u>TERMS OF DECISION</u></b>
CHE/17/00828/TPO TPO 4901.179 21/12/17	The pruning of nine trees reference T1 & T3 Lime, T2 Horsechestnut and T4-T9 Sycamore on the Order map for Walker Tree Services on behalf of the Chesterfield Lawn Tennis Club, Hawksley Avenue.	<p>Consent is refused to the crown lifting of T1-T3 by 8 metres because this is considered excessive when the trees are only 12-13 metres high. Consent is also refused to the reduction of branches of T1-T3 which are growing towards the lighting stands because there are none near to the trees.</p> <p>Consent is granted to the crown lifting of nine trees by 4 metres and a crown clean to remove dead branches within the crown. Consent is also granted to the reduction of branches growing over the tennis court of T1-T3 pruning back to suitable replacement branches.</p>
CHE/17/00847/TPO TPO 4901.173 28/12/17	The pruning of one Cedar tree reference T12 for Walker Tree Services on behalf of Mrs K Ashworth of 333a Ashgate Road. The tree is allegedly blocking out light to the property.	Consent is refused to the all-round crown reduction of the tree because other pruning operations are available to reduce the perceived problems and the reduction of the tree will greatly reduce its natural growth habit and amenity value.

		Consent is granted to the crown lifting of the tree by 3.5 metres, the removal of two lower branches growing towards the property, the reduction of one further lower branch by 2 metres and the crown thinning of the tree to allow light to filter through the canopy.
CHE/17/00792/TPO TPO 4901.281 28/12/17	The felling of one small Sycamore and one dead Hawthorn and the pruning of two Field Maples within G3 on the Order map for Mr Alistair Frazer of plot 25 (51 Pomegranate Road, Newbold) to trees to the rear of the plot on the banking adjacent Newbold Back Lane.	Consent is granted to the felling of one dead Hawthorn by virtue of Part VIII, Chapter 1, Section 198, paragraph 6(a) of the Town and Country Planning Act 1990 as amended under The Town and Country Planning (Tree Preservation) (England) Regulations 2012, which has provision for dead and dangerous trees, Section 206, paragraph 1(b) of the same Act requires any dead/dangerous tree to be felled under Section 198 to be replaced during the next available planting season to the satisfaction of the Borough Council. The replacement tree is to be a Hawthorn and planted as near as is reasonably possible to the original tree.

		Consent is also granted to the removal of one small Sycamore tree before its location becomes a problem growing towards the new development and the pruning of two Field Maples to remove branches growing towards the new building plot.
CHE/17/00826/TPO TPO 4901.12 28/12/17	The pruning of two Oak trees reference T23 & T24 on the Order map for Heathscapes Tree Service on behalf of Mr Walker of 386 Old Road, Brampton.	Consent is refused to the crown reduction by 1 metre of two Oak trees because this is considered unnecessary as the two trees are located away from any properties and the works would reduce the natural appearance of the trees and reduce their amenity value.  Consent is granted to the crown lifting and crown thinning of the two trees.
CHE/17/0004/TPO TPO 4901.213 23/01/18	The pruning of one Oak tree reference T1 on the Order map for Mr Curran of 21 Pearson Croft, Newbold.	Consent is granted to the crown lifting, crown thinning and reduction of branches growing towards 21 Pearson Croft to give a 2 metre clearance from the dwelling.

CHE/17/00838/TPO	The felling of one Ash tree reference T43 on the Order map for Mr Fearebrough of 8 Lancaster Road. The tree is allegedly causing light issues and dropping branches.	Consent is refused to the felling of one Ash tree because the tree has been inspected and found to be in a good condition with the exception of minor dead wood in the crown. The tree is located in the rear garden of the property but still adds character to the local area and streetscene. It is felt that the felling of the tree is excessive for the perceived problems and the re-pollarding of the tree is more acceptable which would remove the dead wood which is falling from the tree and alleviate the light issues.
------------------	--	---