

**SECTION 1****APPLICATION TO FELL OR PRUNE TREES**

<b><u>CODE NO</u></b>	<b><u>DESCRIPTION OF PROPOSAL</u></b>	<b><u>TERMS OF DECISION</u></b>
CHE/18/00397/TPO TPO 4901.159 12/06/18	The pruning of two Lime trees reference T37 & T38 on the Order map for Mrs Hurt of 714 Chatsworth Road. The trees lower branches are restricting visibility when exiting the property and low over the highway.	Consent is granted to the crown lifting of two Lime trees by 5 metres from ground level pruning back to suitable replacement branches.
CHE/18/00400/TPO TPO 4901.234 18/06/18	The felling of two dead Larch trees within G1 on the Order map for Mr Cannon of 176 Somersall Lane.	Consent is granted to the felling of two small dead Larch trees within G1. The duty to plant replacement trees has been dispensed with on this occasion due to no loss of amenity within the group and lack of suitable planting places due to the more dominant trees within the group.
CHE/18/00414/TPO TPO 4901.56 19/06/18	The pruning of one Sycamore tree on the Order map for Mr Farrell of 100 Old Hall Road on behalf of 7 Newhaven Close, Walton	Consent is granted to the crown lifting and crown thinning of the tree for general maintenance and to allow more light into the garden.

<p>CHE/18/00386/TPO TPO 4901.30 20/06/18</p>	<p>The felling of one Horsechestnut tree within G1 on the Order map for Trueman Tree Services Ltd on behalf of Derbyshire NHS Trust at Dryhurst (Children's Nursery) Chesterfield Royal Hospital. The tree has damaged branches in the upper crown.</p>	<p>Consent is refused to the felling of one Horsechestnut tree because this is considered to be neither necessary nor justified. Whilst it accepted that the tree does have some damage to the upper crown, it is not considered to be to such a degree that the damage cannot be pruned out and therefore does not justify the felling of the tree.</p> <p>Consent is granted to the crown cleaning of the tree to remove the damaged and dead branches and the reduction and reshaping of the crown below the damaged point.</p>
<p>CHE/18/00405/TPO TPO 4901.130 20/06/18</p>	<p>The pruning of one Ash tree reference T4 on the Order map for Trueman Tree Services on behalf of 423 Chatsworth Road. The trees lower branches are low over the highway.</p>	<p>Consent is granted to the crown lifting of the tree, clearance from the highway and the removal of dead wood. Consent is refused to the reduction of branches around the street lighting as they are already at an acceptable distance.</p>
<p>CHE/18/00430/TPO TPO 4901.172 22/06/18</p>	<p>The felling of one Horsechestnut tree reference T21 which has suffered storm damage and the pruning of one Horsechestnut reference T20 which is low over the garden, patio and driveway for Heathscapes on behalf of Mr Hadfield of 404 Old Road.</p>	<p>Consent is granted to the felling of T20 Horsechestnut which has had the top of the trees blown out in the recent high winds leaving the remainder of the tree prone to further wind damage. Condition attached to plant a new tree in the same location.</p>

		Consent is also granted to a crown lift by 4 metres and a crown thin by 15% on T21 Horsechestnut to allow more light into the property.
CHE/18/00409/TPO TPO 4901.128 22/06/18	The pruning of one Ash tree reference T1 on the Order map for Derbyshire County Council highway at land adjacent to 15 Martindale Close, Staveley in the highway verge on Chesterfield Road.	Consent is granted to the crown lifting of one Ash tree to 5.2 metres from ground level and the reduction of branches growing towards 15 Martindale Close to give a 2 metre clearance from the property.
CHE/18/00421/TPO TPO 4901.122 05/07/18	The pruning of one Lime tree reference T6 on the Order map for Mr Chris Payne of 41 Gregory Close, Brimington. The tree is allegedly causing light issues.	Consent is refused to a crown reduction of the tree because a crown reduction along with a crown lift and crown thin of a Lime tree will cause more light issues in the long term as the crown would be lower and more dense.  Consent is granted to a crown lift and crown thin to allow more light into the garden underneath the tree and filter through the crown.
CHE/18/00419/TPO TPO 4901.112 05/07/18	The pruning of one Ash tree reference T62 on the Order map for Mrs Mavis Radford of 22 Ulverston Road, Newbold.	Consent is granted to the crown lifting of low branches and a crown clean to remove dead wood.