

SECTION 1**APPLICATION TO FELL OR PRUNE TREES**

<u>CODE NO</u>	<u>DESCRIPTION OF PROPOSAL</u>	<u>TERMS OF DECISION</u>
CHE/18/00801/TPO TPO 4901.117 04/12/18	The root pruning of damaged roots on T320 Ash on the Order map at the Chesterfield & District Model Engineering Society, Hady Hill, Hady. The trees roots have recently been damaged by excavations. An Arboricultural report has been submitted with the application stating the tree is stable and safe but the damaged roots require pruning.	Consent is granted to the root pruning of one root as recommended in the tree report and that the excavations are filled in with a good top soil as recommended in section 6 of the report.
CHE/18/00814/TPOEXP TPO 4901.189 04/12/18	The felling or reduction of one storm damaged Ash tree within W1 to the rear of 50 Highland Road, New Whittington.	Consent is granted to the felling or alternatively the reduction of the tree to leave the main stem as a standing wildlife habitat. If the tree is removed in total a replacement Oak tree is required in the first available planting season.
CHE/18/00730/TPO TPO 4901.153 17/12/18	The felling of one Ash tree reference T26 on the Order map for Mrs Nadine Wilford of 4 Helmsley Close, Newbold. The tree is allegedly dangerous after one limb failed in the October storm.	Consent is granted to the felling of one Ash tree which has an infection of Bacterial canker knot. A condition is attached to plant a new tree in the first available planting season.