

**SECTION 1****APPLICATION TO FELL OR PRUNE TREES**

<b><u>CODE NO</u></b>	<b><u>DESCRIPTION OF PROPOSAL</u></b>	<b><u>TERMS OF DECISION</u></b>
CHE/21/00502/TPO  TPO 4901.330  05/08/21	The pruning of one Sycamore tree reference T1 on the Order map for Miss Tracey Hume of 159 Old Hall Road, Brampton.	Consent is granted to the crown reduction of lateral branches growing to the west of the crown by a maximum of 2-3m with the gradual grading of the north and south side of the tree to leave a natural appearance to the tree and a well-balanced crown. The works are to be carried out at the same time as the approved works on decision notice CHE/21/00192/TPO and as part of the crown thinning operation.
CHE/21/00562/TPO  TPO 4901.262  09/08/21	The pruning of trees within W1 on the Order Map and which are situated directly adjacent to Owen Falls Avenue, 6 Wain Avenue and 1 & 7 Marine Drive, Piccadilly for Mr Gary McCarthy on behalf of Chesterfield Borough Council.	Consent is granted to the crown lifting of trees adjacent to Owen Falls Avenue, 6 Wain Avenue and 1 & 7 Marine Drive. Consent is also granted to clear street light heads by 1 metres and the named buildings by 3 metres. The arboricultural work to which this consent relates can be carried out on a regular basis to clear any obstruction to the highway, street light heads and stated properties for 5 years from the date of issue when a new application is required for review.

<p>CHE/21/00513/TPO</p> <p>TPO 4901.174</p> <p>11/08/21</p>	<p>The pruning of two Maple trees reference T1 &amp; T2 on the Order map for Mr Hawkins of 5 Alton Close, Walton. The two trees are within the neighbouring gardens of 20 &amp; 22 Foxbrook Drive, Walton.</p>	<p>Consent is granted to the crown lifting by 3 metres and crown thinning by 25% of two Maple trees to allow more light into the tree owners gardens and neighbouring gardens.</p>
<p>CHE/21/00575/TPO</p> <p>TPO 4901.7</p> <p>11/08/21</p>	<p>The pruning of one Cedar tree within Area 1 on the Order map for Heathscapes on behalf of 15 The Dell, Ashgate</p>	<p>Consent is granted to crown clean the tree to remove dead and dangerous branches within the crown.</p>
<p>CHE/21/00126/TPO</p> <p>TPO 4901.44</p> <p>11/08/21</p>	<p>The pruning of trees within W1 on the Order map for Barnes Associates Ltd on behalf of Strata Homes to trees in the woodland to the rear of plot 10 (20 Hulford Street, Dunston. The trees are allegedly close to the new build and the application is to prune all trees to the rear of the property by crown lifting to 5.2m and prune back branches to give a clearance of 2.5m from the property.</p>	<p>Consent is refused to crown lift one Elm tree because the tree is at a good distance from the property and the approved removal of one lower branch would give the proposed 2.5m clearance from the structure.</p> <p>No other trees within the woodland are close to the property as they have been uprooted and removed which is an ongoing enforcement investigation.</p>
<p>CHE/21/00509/TPO</p> <p>TPO 4901.172</p> <p>18/08/21</p>	<p>The root pruning of trees reference T12, T14, T16 &amp; T15 Pine &amp; T17 Sycamore on the Order Map for Duramen Consulting Ltd on behalf of 406 Old Road to install a root barrier for</p>	<p>Consent is granted to the root pruning of the trees with conditions attached that the trench is to be in the location as shown on the submitted drawing and any large roots that may compromise the trees stability must be</p>

	alleged subsidence damage to the property.	inspected by the site arboriculturalist and discussed with the Council before removal.
CHE/21/00539/TPO TPO 4901.12 23/08/21	The pruning of one Oak tree reference T3 on the Order map for Mr Rhodes of 11 South Lodge Court. The tree is located in the garden of 400 Old Road and overhangs the property.	Consent is granted to the crown cleaning of the tree to remove dead wood pruning back to suitable sound live wood.
CHE/21/00564/TPO TPO 4901.266 24/08/21	The pruning of 3 Oak trees reference T45, T47 & T48 on the Order Map for Eyre Chapel Trustee at Eyre Chapel, Newbold Village.	Consent is granted to crown clean 3 Oak trees to remove dead wood and prune back to sound wood.
CHE/21/00579/TPO TPO 4901.233 24/08/21	The felling of one Cherry tree within G1 on the Order map which is partially dead for Bakewell Tree Services on behalf of 10 Booker Close, Inkersall	Consent is granted to the felling of one Cherry tree with a condition to replant with one Rowan tree in the same location.
CHE/21/00536/TPO TPO 4901.73 26/08/21	The felling of one Horsechestnut tree reference T25 which has one dead major limb and fungal growth on the main stem and the pruning of 3 Horsechestnut trees reference T12, T19 and T23 on the Order map for Heathscapes on behalf of 41 Oakfield Avenue, Somersall.	Consent is granted to the felling of one diseased Horsechestnut T25 and the crown lifting, crown thinning and selective reduction of protruding branches to three Horsechestnut trees to re-shape and balance the crown.

<p>CHE/21/00591/TPO</p> <p>TPO 4901.181</p> <p>26/08/21</p>	<p>The pruning of one Beech tree reference T1 on the Order map for Mr Swift of 81 High Street, Old Whittington</p>	<p>Consent is granted to the crown cleaning of one Beech tree to remove dead wood and any obvious weak branches.</p>
<p>CHE/21/00527/TPO</p> <p>TPO 4901.159</p> <p>31/08/21</p>	<p>The felling of one Lime tree reference T1 on the Order map for Anderson Tree Care on behalf of 2 Somersall Lane, Somersall.</p>	<p>Consent is refused to the felling of one Lime tree because no supporting evidence has been provided within the tree report other than it is close to the property. The tree has high visual amenity within the Somersall conservation area and along Chatsworth Road. Furthermore, no structural damage has been identified to the property and there is no justification for the felling proposal.</p>
<p>CHE/21/00550/TPO</p> <p>TPO 4901.203</p> <p>01/09/21</p>	<p>The pruning of two groups of Hawthorns (referred to as G1 &amp; G2 on the submitted plan), 3 Alder trees (referred to as T1-T3 on the submitted plan) and one Alder stump (referred to as an Ash) within W1 on the Order Map and which are situated to the south of 10 Staunton Close along the river banking of Birdholme Brook.</p>	<p>Consent is refused to the pollarding of two Alder trees referred to as T1 &amp; T3 and the crown reduction of one Alder tree referred to as T2 because no supporting information has been submitted to justify the pollarding and reduction of the trees.</p> <p>The trees are part of the river corridor and provide a valuable habitat and natural feature along the river course. No natural regeneration is occurring in this section of the river banking and the reduction of the crown and pollarding would bring the mass</p>

		<p>of foliage lower when any new re-growth occurs, reducing light levels into the property and garden. Consent is also refused to the crown reduction and crown thinning of 3 Hawthorn trees within W1 referred to as G1 on the application because this is considered to be neither necessary nor justified and would reduce their visual amenity and wildlife value along Birdholme brook.</p> <p>Consent is granted to the crown reduction by 1.5m and crown thinning by 20% of two Hawthorns within G2 as these works have previously been carried out and there would be no loss of amenity. Consent is also granted to a crown thin by 20% of one Alder tree.</p>
<p>CHE/21/00547/TPO TPO 4901.137 03/09/21</p>	<p>The pruning of one Oak tree reference T2 on the Order map for Mrs Riley of 10 Dorothy Vale, Ashgate. The tree is located to the rear of 17 Hucknall Avenue and overhangs the property.</p>	<p>Consent is refused to the substantial crown reduction of the tree because no information has been provided to justify the crown reduction. The tree is in a structurally sound condition with no signs of any defects and a crown reduction would reduce the trees visual amenity.</p> <p>Consent is granted to a crown lift by 4 metres and it is recommended that the</p>

		applicant submits a new application to crown thin the tree to reduce any alleged light issues to the garden and property.
CHE/21/00580/TPO TPO 4901.14 09/09/21	The felling of one Silver Birch tree reference T24 on the Order map for Mr Passmore of 42 Netherleigh Road. The tree has fungus on the base of the stem and dieback of the crown.	Consent is granted to the felling of one Silver Birch tree with a duty to plant a replacement Rowan tree in the same location.
CHE/21/00660/TPOEXP TPO 4901.289 09/09/21	The felling of one Lime tree reference T79 on the Order map for Derbyshire County Council. The tree is located to the frontage of 201 Langer Lane and has dieback of the crown and poor growth.	Consent is granted to the felling of one Lime tree with a duty to plant a replacement Lime tree in the same location.
CHE/21/00583/TPO TPO 4901.174 10/09/21	The pruning of one Oak tree reference T21 on the Order map for Mr Alton of 55 Foxbrook Drive, Walton.	Consent is refused to the crown reduction by 2m of one Oak tree which would reduce its amenity value and natural appearance. Consent is also refused to the removal of one lower limb growing over the neighbouring property which would leave a gap in the crown and require other pruning works to re-shape the tree. A further application is invited to crown thin and crown lift the tree.  Consent is granted to crown clean the tree to

remove dead wood and remove 3 poor pruning cuts on the main stem.