

SECTION 1**APPLICATION TO FELL OR PRUNE TREES**

<u>CODE NO</u>	<u>DESCRIPTION OF PROPOSAL</u>	<u>TERMS OF DECISION</u>
CHE/21/00812/TPO TPO 4901.307 09/11/21	The pruning of one London Plane tree reference T1 on the Order map for Mr Handley at Stand Road Industrial Estate, Whittington Moor.	Consent is granted to the re-pollarding of one London Plane tree, pruning back to previous pollarding cuts which equates to a 50% crown reduction.
CHE/21/00756/TPO TPO 4901.70 10/11/21	The pruning of Oak trees within W1 on the Order map which are located along the west boundary of 25 Aviemore, Close, New Whittington for CBC Leisure Services.	Consent is granted to crown lift the Oak trees by 3 metres from ground level and to pruning back branches growing towards the property to give a 3 metre clearance from the structure.
CHE/21/00745/TPO TPO 4901.268 19/11/21	The pruning of trees within G2 & G3 on the Order map for Mr Hunt at land to the rear of 57 Moorland View Road, Walton.	Consent is granted to the crown lifting of 6 Silver Birch, 2 Beech, 1 Sycamore and 1 Ash tree by 3.5 metres from ground level. Also, the reduction of branches of 2 Beech trees growing towards the property to give a 4 metre clearance from the structure, pruning back to suitable replacement branches.

<p>CHE/21/00718/TPO</p> <p>TPO 4901.227</p> <p>24/11/21</p>	<p>The felling of one Ash tree reference T1 on the Order map for Acme Arb Ltd on behalf of 96 Boythorpe Road, Chesterfield. The tree is allegedly suffering from Ash dieback.</p>	<p>Consent is refused to the felling of one Ash tree. It is agreed that the tree does have Ash dieback but not to such a degree that the tree requires felling at this stage.</p> <p>An inspecting by Derbyshire County Council Highways during annual Ash dieback inspections found the tree was displaying good canopy cover and was within the Tree Councils Ash Health Class 1: 100%-76% remaining canopy. It was, however recommended that the tree was re-inspected during summer 2022 Ash dieback inspections.</p> <p>The tree was also inspected for this application and it is agreed that there is evidence of Ash dieback when inspected from ground level and since the added notes for the tree report, one limb over the highway and driveway entrance appears to be suffering with significant dieback. The rest of the tree, however, appears to be in a good condition with only minor dead wood.</p> <p>Current advice is that some ash trees appear to be able to tolerate infection.</p>
---	---	--

		<p>Therefore, the use of crown reduction or lopping instead of felling of tolerant trees may lead to more tolerant strains.</p> <p>It is appreciated that the owner of the tree does not want to be burdened with any additional costs if the tree requires removing at a later stage, but it is considered at this stage that felling is an excessive action in order to overcome any perceived problems and it is further considered that a degree of pruning to remove dead branches is more acceptable along with an aerial inspection.</p> <p>It is also recommended that the tree is then monitored as suggested by DCC Highways and if required a crown reduction considered and an application submitted to Chesterfield Borough Council.</p>
<p>CHE/21/00773/TPO</p> <p>TPO 4901.179</p> <p>24/11/21</p>	<p>The pruning of 9 trees reference T1 & T3 Lime, T2 Horsechestnut and T4-9 Sycamore on the Order Map and which are situated in the grounds of the Chesterfield Lawn Tennis Club, Hawksley Avenue.</p>	<p>Consent is granted to crown lift, crown clean and crown lift the trees to clear the car park area and public footpath and to clear the tennis court and proposed new court lighting columns.</p>

<p>CHE/21/00733/TPO</p> <p>TPO 4901.162</p> <p>24/11/21</p>	<p>The felling of one Copper Beech tree reference T1 on the Order map for Mr Hooper of 1 Oakfield Avenue, Somersall. A tree inspection has been carried out and the trees was found to have Meripilus giganteus which affects the tree's roots and dieback of the crown.</p>	<p>Consent is granted to the felling of the tree with a duty to plant a new tree in the first available planting season after felling. The new tree is to be a Red Maple and planted in the grassed area to the frontage of the site near to the original tree.</p>
---	--	---